

DL6101-007

Work Order ID 164065

164065

Page 1

Thursday, July 13, 2017 11:44:03 AM

Item ID: D5957 Accept *N900040100* Setup Start *NS1*
 Revision ID: Stop *NS2*
 Item Name: Saddle
 Start Date: 7/19/2017 Start Qty: 4.00 *4* Cust Item ID:
 Required Date: 8/4/2017 Req'd Qty: 4.00 *4* Customer:
 Reference:

Approvals: Process Plan: DAS 21 9-89 Date: JUL 13 2017 Tooling: 1 Date: Run Start *NR1*
 QC: Date: SPC (Y/N): Date: Stop *NR2*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr	Revision Nbr
D5957	Rev B

100

2.11

100

HAAS I

HAAS CNC VERTICAL MACHINING #1

Memo

4.66

HAAS CNC vertical machine #1

1-Machine as per folio D5957, Ensure Batch Number is entered
 2-Machine Keyway
 3-Deburr & Tumble

DAS

44

9-89

DAS

45

9-89

SBL

17-08-0

2017-8-1

110

0.00

110

QC

QC1- Inspection performed by CMM

Memo

0.60

Quality Control

Inspect on CMM as per folio CMM A016.

DWG REV: BCMM PROG. REV: AA

DAS

44

9-89

17-08-0

2017-8-1

120

0.00

120

QC

QC8- Inspect parts - second check

Memo

0.08

Quality Control

DAS

49

9-89

17/08/12

WORK ORDER NON-CONFORMANCE / UPDATE



QA Closed: _____ Date: _____

Work Order update only

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Cross tube ☐ Water Jet ☐ Engineering ☐ Machining ☐ Small Fab ☐ Prod. Eng. Coord. ☐ Quality ☐ Thermoforming ☐ Finishing ☐ Rec/Store/Packaging ☐ Other ☐ Large Fab ☐ Composite ☐ Supplier ☐					
Date :		Step #:		QTY Effective :				MRB (QS1042) Approval	
Description Work Order Deviation				Disposition				Completed By	
								Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐		☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due		FAULT CATEGORY ☐ Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence					
OTHER :									

Work Order ID 164065

Thursday, July 13, 2017 11:44:03 AM

164065

Page 2

Item ID: D5957

Accept

N900040100Setup Start ***NS1***

Revision ID:

Stop ***NS2***

Item Name: Saddle

Start Date: 7/19/2017 Start Qty: 4.00

4

Cust Item ID:

Required Date: 8/4/2017 Req'd Qty: 4.00

4

Customer:

Reference:

Approvals:

Process Plan: _____

Date: _____

Tooling: _____

Date: _____

Run Start ***NR1***

QC: _____

Date: _____

SPC (Y/N): _____

Date: _____

Stop ***NR2***Sequence ID/
Work Center IDOperation
DescriptionSet Up/
Run Hours

Tool ID

Tool #

Plan
CodeAccept
QtyReject
QtyReject
NumberInsp.
Stamp

130

Chemical Conversion Coat per QSI005 4.1

0.00

130

HandFinish

Memo

0.40

Hand Finishing

(4)

Ø

2017-08-14

JSL
BEB.

140

White Gloss(Ref:4.3.5.1) per QSI005 4.3-Alum

0.00

140

Powdercoat

Memo

0.45

Powder Coating

START TIME:

8:05

OVEN TEMPERATURE:

FINISH TIME:

8:35

4

Ø

17-08-23

38

150

QC3- Inspect Part Finish

0.00

150

QC

Memo

0.04

Quality Control

4

DAS
38

AUG 23 2017

DQA: _____ Date: _____

WORK ORDER NON-CONFORMANCE / UPDATE



QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition				Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐								
Misidentified ☐	Past Due ☐								
		OTHER : _____							

Work Order ID 164065

Thursday, July 13, 2017 11:44:03 AM

164065

Page 3

Item ID: D5957

Accept

N900040100Setup Start ***NS1***

Revision ID:

Stop ***NS2***

Item Name: Saddle

Start Date: 7/19/2017 Start Qty: 4.00

4

Cust Item ID:

Required Date: 8/4/2017 Req'd Qty: 4.00

4

Customer:

Reference:

Approvals:

Process Plan: _____

Date: _____

Tooling: _____

Date: _____

Run Start ***NR1***

QC: _____

Date: _____

SPC (Y/N): _____

Date: _____

Stop ***NR2***Sequence ID/
Work Center IDOperation
DescriptionSet Up/
Run Hours

Tool ID

Tool #

Plan
CodeAccept
QtyReject
QtyReject
NumberInsp.
Stamp

160

Identify as per dwg & Stock Location

ST399

0.00

**DAS
6
9-89****4****AUG 29 2017****rd*****160***

Packaging

Memo

0.04

Packaging

170

QC21- Final Inspection - Work Order Release

0.00

**DAS
21
9-89****17/9/5*****170***

QC

Memo

0.40

Quality Control

**DAS
21
9-89****AUG 29 2017**

DQA: _____ Date: _____

WORK ORDER NON-CONFORMANCE / UPDATE



QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition				Completed By	
								Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY							
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐	No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐	Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐	Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐	Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐				
OTHER : ☐									

Picklist Print

Thursday, July 13, 2017 11:44:06 AM

Page 1

Work Order ID: 164065

164065

Parent Item: D5957

D5957

Parent Item Name: Saddle

Start Date: 7/19/2017

Required Date: 8/4/2017

Start Qty: 4.00

Required Qty: 4.00

Comments: IPP Rev:E Re-Format 05-11-29 JLM
IPP Rev:F ecn826 06.12.06 ec

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D6101-007 *D6101-007* Saddle Billet		Manufactured	No			110	Each	24.0000	1	4			
										4			
										44			
										9-89			
										17-08-09			

Location

Loc Qty

Loc Code

MAT041

24

159162

4

159705

20

164013

4

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition				Completed By	
								Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY							
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐	No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐	Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐	Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐	Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐				
OTHER : ☐									

DART AEROSPACE LTD		Work Order: 164065
Description: Inner Aft Saddle		Part Number: D5957
Inspection Dwg: D5957	Rev: B	Page 1 of 1


Inspect dimensions highlighted on inspection sheet drawing and record below:

				Recorded Actual Dimensions					
Dim	Min	Max	Go/No Go Gauge	1	2	3	4	By	Date
A	0.438	0.443		.438	.438	.438	.438		
B	1.745	1.755		1.750	1.750	1.750	1.750		
C	5.245	5.255		5.250	5.250	5.250	5.250		
D	6.995	7.005		7.000	7.000	7.000	7.000		
E	5.240	5.260		5.250	5.250	5.250	5.250		
F	4.745	4.755		4.750	4.750	4.750	4.750		
G	0.315	0.322		.316	.316	.316	.316		
H	1.522	1.532		1.527	1.527	1.527	1.527		
I	3.048	3.058		3.053	3.053	3.053	3.053		
J	4.575	4.585		4.580	4.580	4.580	4.580		
K	0.315	0.322		.316	.316	.316	.316		
L	0.495	0.505		.500	.500	.500	.500		
M	0.490	0.510		.503	.502	0.503	0.503		
N	1.865	1.885		1.875	1.875	1.875	1.875		
O	7.990	8.010		8.000	8.000	7.999	7.999		
P	2.240	2.260		2.250	2.250	2.250	2.250		
Q	0.308	0.313		.310	.311	0.3115	0.310		
R	0.760	0.765		.760	.760	.760	.760		
S	0.490	0.510		.494	.501	0.500	0.499		
T	1.625	1.645		1.630	1.630	1.630	1.630		
U	2.000	2.020		2.000	2.000	2.000	2.000		
V	0.023	0.043		.033	.033	.033	.033		
W									
X									
Y									
Z									
AA									
AB									
AC									
AD									
AE									
AF									
Accept/Reject				SBL	DAS		DAS		


Measured by: 44	Audited by: 49
Date: 17-08-09	Date: 17/08/12

Rev	Date	Change	Revised by	Approved
A	99.04.19	New Issue	RF	
B	02.12.13	Reformat; Added Dim. T-U & DT8682, DT8686 & DT8696 A/B	KJ/RF	
C	06.11.20	Added dimension V	KJ/JLM	
D	06.12.06	Dimensions L,N,P revised	KJ/EC	
E	07.06.15	Dimension G revised	KJ/JLM	
F	08.04.21	Dimension E revised	KJ/DD	
G	08.09.05	Dimension K revised	KJ/DD	
H	09.07.29	Dimension Q revised	KJ	

DESIGN BW	DRAWN BY CB	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED CE	APPROVED [Signature]	DRAWING NO. D5957	REV. B SHEET 1 OF 1
DATE 06.11.07		TITLE INNER AFT SADDLE	SCALE 1:4
REV A	DATE 97.05.06	DESCRIPTION NEW ISSUE	
B	06.11.07	INCORPORATE DEO 9102, DEO 9079; ADD 0.363 DIMENSION; Ø 0.316 WAS Ø 0.313; ADD TOLERANCE TO R2.000; ADD 0.363 DIM	



D5957 INNER AFT SADDLE



ISOMETRIC VIEW
SCALE 1:8


- NOTES:
- 1) MATERIAL: ALUMINUM 7075-T7351 PER QQ-A-250/12
(MAKE FROM D6101-007 SADDLE BILLET, 7075)
 - 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
POWDER COAT GLOSS WHITE (4.3.5.1) PER DART QSI 005 4.3 
 - 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK ALL SHARP EDGES 0.010 TO 0.020

COPYRIGHT © 1997 BY DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.



DESIGN BW	DRAWN BY CB	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA
CHECKED LE	APPROVED [Signature]	DRAWING NO. D5957
DATE 06.11.07	TITLE INNER AFT SADDLE	REV. B SHEET 1 OF 1
REV A	DATE 97.05.06	DESCRIPTION NEW ISSUE
B	06.11.07	INCORPORATE DEO 9102, DEO 9079; ADD 0.383 DIMENSION; $\phi 0.316$ WAS $\phi 0.313$; ADD TOLERANCE TO R2.000; ADD 0.383 DIM



NOTES:

- 1) MATERIAL: ALUMINUM 7075-T7351 PER QQ-A-250/12
(MAKE FROM D6101-007 SADDLE BILLET, 7075)
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
POWDER COAT GLOSS WHITE (4.3.5.1) PER DART QSI 005 4.3
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 5) BREAK ALL SHARP EDGES 0.010 TO 0.020

COPYRIGHT © 1997 BY DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.